

Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented): A method for processing telephone calls for a mobile subscriber associated with a wireless network, the method comprising:
at the wireless network, receiving from the mobile subscriber user-defined, location-dependent rules associated with at least one telephone service subscribed to by the mobile subscriber, wherein each rule received from the mobile subscriber at the wireless network includes a specification for at least one geographic area associated with the mobile subscriber and rules for processing the at least one telephone service for the mobile subscriber when the mobile subscriber is in one of the geographic areas;
determining a current location of the mobile subscriber; and
processing a telephone call based on the user-defined, location-dependent rules and the current location of the mobile subscriber.
2. (Canceled)
3. (Previously Presented): The method as recited in claim 1 wherein the specification defines a dynamic geographic area dependent on the instantaneous location of the subscriber.
4. (Previously Presented): The method as recited in claim 1 wherein the specification includes receiving a signal indicating a general geographic area dependent on the current location of the subscriber.
5. (Previously Presented): The method as recited in claim 1 wherein the specification defines a static geographic area independent of the current location of the subscriber.

6. (Previously Presented): The method as recited in claim 5 wherein the static geographic area is selected from a list of predetermined geographic areas.

7. (Previously Presented): The method as recited in claim 5 wherein the static geographic area includes a general geographic area dependent upon a known geographic location.

8. (Original): The method as recited in claim 1 wherein the wireless network includes at least one base station at a known location for communicating with the mobile subscriber and wherein determining the current location of the mobile subscriber comprises:
receiving a signal from the mobile subscriber; and
determining the location of the mobile subscriber based on the signal from the mobile subscriber and the known location of the at least one base station.

9. (Original): The method as recited in claim 8 wherein receiving the signal includes continuously receiving the signal from the wireless subscriber.

10. (Original): The method as recited in claim 8 wherein receiving the signal includes receiving the signal from the wireless subscriber in response to a prompt from the wireless network.

11. (Original): The method as recited in claim 8 wherein receiving the signal includes receiving a Global Positioning Signal from the mobile subscriber.

12. (Original): The method as recited in claim 8 wherein receiving the signal includes receiving a strength of the signal from the mobile subscriber.

13. (Original): The method as recited in claim 8 wherein receiving the signal includes receiving signal propagation timing information from the mobile subscriber.

14. (Previously Presented): The method as recited in claim 1 wherein processing a telephone call comprises:

receiving an outgoing call from the mobile subscriber; and
processing the outgoing call based on the user-defined, location-dependent rules
and the current location of the subscriber.

15. (Previously Presented): The method as recited in claim 1 wherein
processing a telephone call comprises:

receiving an incoming call for receipt by the mobile subscriber; and
processing the incoming call based on the user-defined, location-dependent rules
and the current location of the subscriber.

16. (Previously Presented): The method as recited in claim 1 further
comprising:

determining supplemental subscriber information from the mobile subscriber; and
wherein processing a telephone call further comprises processing the telephone
call based on the supplemental subscriber information, the current location of the subscriber and
the user-defined, location-dependent rules.

17. (Previously Presented): A system for processing telephone services for a
mobile subscriber associated with a wireless network, the system comprising:

a database for storing user-defined, location-dependent rules associated with at
least one telephone service subscribed to by the mobile subscriber, wherein each rule includes a
specification for at least one geographic area associated with the mobile subscriber and rules for
processing the telephone services for the mobile subscriber when the mobile subscriber is in one
of the geographic areas; and

service logic for determining a current location of the mobile subscriber and
generating call processing instructions for processing telephone calls based on the user-defined,
location-dependent rules and the current location of the mobile subscriber.

18. (Canceled)

19. (Previously Presented): The system as recited in claim 17 wherein the specification includes a dynamic geographic area dependent on the instantaneous location of the subscriber.

20. (Previously Presented): The system as recited in claim 19 wherein the interface is further operative to receive a signal as part of the specification that defines a changing geographic area dependent on the current location of the subscriber.

21. (Previously Presented): The system as recited in claim 17 wherein the specification includes at least one static geographic area independent of the current location of the subscriber.

22. (Previously Presented): The system as recited in claim 21 wherein the static geographic area is selected from a list of predetermined geographic areas.

23. (Previously Presented): The system as recited in claim 21 wherein the static geographic area includes a general geographic area dependent upon a known geographic location.

24. (Previously Presented): The system as recited in claim 17 wherein the wireless network includes at least one base station at a known location for communicating with the mobile subscriber and wherein the service logic, in determining the current location of the mobile subscriber, is further operative to receive a signal from the mobile subscriber, and determine the location of the mobile subscriber based on the signal from the mobile subscriber and the known location of the at least one base station.

25. (Original): The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to continuously receive the signal from the mobile subscriber.

26. (Original): The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive the signal from the mobile subscriber in response to a prompt by the service logic.

27. (Original): The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive a Global Positioning Signal from the mobile subscriber.

28. (Original): The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive a strength of the signal from the mobile subscriber.

29. (Original): The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive signal propagation timing information from the mobile subscriber.

30. (Previously Presented): The system as recited in claim 17 wherein the service logic, in processing telephone calls , is further operative to receive an outgoing call from the mobile subscriber, and process the outgoing call based on the user-defined, location-dependent rules and the current location of the subscriber.

31. (Previously Presented): The system as recited in claim 17 wherein the service logic, in processing telephone calls , is further operative to receive an incoming call for receipt by the mobile subscriber, and process the incoming call based on the user-defined, location-dependent rules and the current location of the subscriber.

32. (Previously Presented): The system as recited in claim 17 wherein the service logic is further operative to determine supplemental subscriber information from the mobile subscriber and process telephone calls based on the supplemental subscriber information, the current location of the subscriber and the user-defined, location-dependent rules.

33. (Previously Presented): The method as recited in claim 1, wherein the current location of the mobile subscriber includes an area not defined by the boundaries of a cell of the wireless network.

34. (Previously Presented): The method as recited in claim 1, wherein the at least one telephone service includes caller identification.

35. (Previously Presented): The method as recited in claim 1, wherein the at least one telephone service includes call forwarding.

36. (Previously Presented): The method as recited in claim 1, wherein the at least one telephone service includes do not disturb.

37. (Previously Presented): The method as recited in claim 1 wherein at least one geographic area is not defined by the boundaries of a cell of the wireless network.

38. (Previously Presented): The system as recited in claim 17, wherein the current location of the mobile subscriber includes an area not defined by the boundaries of a cell of the wireless network.

39. (Previously Presented): The system as recited in claim 17, wherein the at least one telephone service includes caller identification.

40. (Previously Presented): The system as recited in claim 17, wherein the at least one telephone service includes call forwarding.

41. (Previously Presented): The system as recited in claim 17, wherein the at least one telephone service includes do not disturb.

42. (Previously Presented): The system as recited in claim 17, wherein at least one geographic area is not defined by the boundaries of a cell of the wireless network.